



Premium Decorative
Wiring Accessories





Premium Decorative Wiring Accessories

Deco Plus unique product codes

When ordering any Deco Plus® products, please specify the required finish by following the simple code structure as demonstrated here...

DP	BN	536	BK
Plate Style	Product Finish	Product Number	Insert Colour

Contents

New Features	b7
Switches	b10
Back Boxes	b19
Power Socket Outlets	b22
Socket & Blank Plates	b24
13A Fused Connection Units	b24
Control Switches	b26
Telephone & Data Sockets	b30
TV & Satellite	b31
New Media™ Plates	b33
Yokes & Back Boxes	b34

A comprehensive range of premium decorative metal wiring accessories is now available under the Deco Plus® brand. A brand that is synonymous with high specification, exceptional quality and unprecedented value.

The smooth contemporary curves of the Deco Plus® range are available in seven finishes to complement any room.

Each product is supplied individually packaged in its own distinctive printed box complete with full fitting instructions.

Deco Plus® switches feature the same modular switch design as our moulded ranges. All of the switch modules featured in our Minigrid™ brochure can therefore be used in any combination on Deco Plus® accessories.

All Deco Plus® 13A sockets and fused connection units are tested and approved to BS1363 offering assured quality and safety.

All Deco Plus® products featured in the pages of this brochure are available in seven distinctive quality finishes. *UK Design Registration 3015621.

All Deco Plus® products are available with black or white inserts, excluding antique brass and black nickel finishes, which are supplied with black insert and gasket only.





ahead of the **curve**





New Features

...plus so much more

Attention to detail has been at the forefront of the design process for our newest range of wiring accessories. All aspects, no matter how small, have been taken into account and collectively create the elegant style that characterises Deco Plus®.



Every accessory within the range which contains a neon now has an insert surrounding the lens of the neon.



An attractive feature added to the Deco Plus® range is the profile of the cooker sockets. Instead of the traditional T-bar shape, our new range matches the profile of our ingot sockets.

Switches

- MODULAR INGOT PLATE SWITCHES
- TOGGLE SWITCHES
- DIMMER SWITCHES


All Deco Plus® switches are supplied complete with requisite switch module(s). However, should local conditions dictate, the installer may customise a switch arrangement by substituting switch modules by means of a simple, single fixing screw.

A comprehensive range of available modules is illustrated in our dedicated Minigrid™ brochure.

Unfurnished mounting plates can be ordered separately and furnished with whatever selection of switch modules may be required.

MINIGRID®

Please see page J18 for a selection of Minigrid™ modules.



All Deco Plus® switch plates are modular as standard, allowing you to create virtually any switch plate you require.

deco 
PLUS



411



412




413



425



414



416

MINIGRID® For interchangeable Minigrid™ Modules please see page j18.

Ingot Plates Switches - MiniGrid™

- 411 10AX Ingot 1 Gang 2 Way Plate Switch
- 412 10AX Ingot 2 Gang 2 Way Plate Switch
- 413 10AX Ingot 3 Gang 2 Way Plate Switch
- 414 10AX Ingot 4 Gang 2 Way Plate Switch
- 416 10AX Ingot 6 Gang 2 Way Plate Switch
- 425 10AX Ingot 1 Gang Intermediate Plate Switch

Standards: BS EN 60669 Back Box Depth: 16mm Minimum
 Cable Size: 4 x 1.5mm² / 2 x 2.5mm² / 1 x 6mm² Maximum
 Dimensions: 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code:
 DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts.
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



401



402




471



472




403



404



406



426

MINIGRID® For interchangeable Minigrid™ Modules please see page j18.
 For the complete range of Minigrid™ modules please see our dedicated Minigrid™ section.

Unfurnished Plates - MiniGrid™

- 401 1 Gang MiniGrid™ Unfurnished Plate - 1 Aperture
- 402 1 Gang MiniGrid™ Unfurnished Plate - 2 Apertures
- 403 1 Gang MiniGrid™ Unfurnished Plate - 3 Apertures
- 404 2 Gang MiniGrid™ Unfurnished Plate - 2 x 2 Apertures
- 406 2 Gang MiniGrid™ Unfurnished Plate - 2 x 3 Apertures
- 426 2 Gang MiniGrid™ Unfurnished Plate - 6 In-Line Apertures

Architrave Unfurnished Plates - MiniGrid™

- 471 1 Gang MiniGrid™ Unfurnished Architrave Plate - 1 Aperture
- 472 2 Gang MiniGrid™ Unfurnished Architrave Plate - 2 Apertures

These plates must be used with the architrave back boxes WA671 / WA672 and can only be flush mounted.

Back Box Depth: Dependant on modules used
 Dimensions: 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm,
 Single architrave: 35mm x 88mm x 8mm Twin architrave: 35mm x 150mm x 8mm

Understanding the code:
 DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts.
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

Toggle Switches & Dimming

A wide selection of toggle switches and dimmers for within your home.



421



422



423



424



MD9125

MD9125 Intermediate module available.
Satin Chrome & Stainless Steel plate finishes require the use of a Pearl Nickel (PN) Toggle Switch Module.

Toggle Switches

- 421 10AX 1 Gang 2 Way Toggle Switch
- 422 10AX 2 Gang 2 Way Toggle Switch
- 423 10AX 3 Gang 2 Way Toggle Switch
- 424 10AX 4 Gang 2 Way Toggle Switch

10AX Intermediate Toggle Switch Modules

- MD9125AB Intermediate Toggle Switch Module - Antique Brass
- MD9125BN Intermediate Toggle Switch Module - Black Nickel
- MD9125BR Intermediate Toggle Switch Module - Polished Brass
- MD9125CH Intermediate Toggle Switch Module - Polished Chrome
- MD9125PN Intermediate Toggle Switch Module - Pearl Nickel

Not interchangeable with dimmers or other Minigridd™ modules.

Standards: BS EN 60669 Back Box Depth: 25mm Minimum Cable Size: 2 x 2.5mm² / 4 x 1.5mm²
Dimensions: 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code:

DP - Plate Style BN - Plate Finish 536 - Product No.

AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



140



152



153



154

MINIGRID® Dimmer modules interchangeable with Minigridd™ Dimmers, please see page J36. For the complete range of Minigridd™ modules please see our dedicated Minigridd™ section.

Dimmer Switches

- 140 1 Gang 2 Way 400Va Dimmer Switch
- 152 2 Gang 2 Way 400Va Dimmer Switch
- 153 3 Gang 2 Way 400Va Dimmer Switch
- 154 4 Gang 2 Way 400Va Dimmer Switch

We recommend the use of branded halogen lamps with all Deco Plus® dimmers. The use of inferior, non-branded lamps may require the nominal rating of the dimmer to be reduced. These dimmer switches have not been designed for use with LED lamps. However, they may be suitable for some good quality LED lamps. For further information please contact the Click technical support team.

Standards: BS EN 60669, BS EN 55015 **Type:** Leading Edge
Back Box Depth: 25mm **Cable Size:** 2 x 1.5mm²
Dimensions: 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code:
DP - Plate Style **BN** - Plate Finish **536** - Product No.
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



140PL



152PL




153PL



154PL



185



186

PL plates only available in Satin Chrome & Polished Chrome. The dimmer modules are supplied separately to the plates.

Dimmer Modules

- MD9001** 6A 2 Way Push On/Off (Non-Dimming) Module (25 x 62mm)
- MD9010** 1-10V Analogue Dimmer Module (25 x 62mm)
- MD9022** 250W 2 Way Dimmer Module (25 x 62mm)
- MD9042** 400W 2 Way Dimmer Module (25 x 62mm)
- MD9014** 100W Dual Mode Dimmer Module with Trim (26.5 x 55mm)

Maximum Wattage: 185: 1000W 186: 1630W
Back Box Depth: Dependant on modules fitted
Dimensions: 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm Dimmer Switch Module: 25 x 62 x 22mm

Understanding the code:
DP - Plate Style **BN** - Plate Finish **536** - Product No.
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

Unfurnished Dimmer Plates

- 140PL** 1 Gang Dimmer Plate & Knob (650W Max) - 1 Aperture
 - 152PL** 2 Gang Dimmer Plate & Knobs (800W Max) - 2 Apertures
 - 153PL** 3 Gang Dimmer Plate & Knobs (1200W Max) - 3 Apertures
 - 154PL** 4 Gang Dimmer Plate & Knobs (1600W Max) - 4 Apertures
 - 185** 1 Gang Dimmer Plate & Knob (1000W Max) - 1 Aperture
 - 186** 2 Gang Dimmer Plate & Knobs (1630W Max) - 2 Apertures
 - SP900** Dimmer M10 Nut Runner Tool
- Use the nut runner to easily exchange dimmer modules and create customised dimmer switch plate.




Interchangeable Plates and Modules

Minigrid™ modules are interchangeable with pre-assembled plate switches or can be mounted into the unfurnished switch plates throughout the Deco Plus® range.

Standard Minigrid™ modules offer simple, single screw fixing to the yoke which greatly facilitates the assembly of up to 18 different switching functions on a single plate.

MINIGRID®



Minigrid™ modules are available in the same decorative finishes as the Deco Plus® range as well as white and black, so there are plenty of options available to suit your application.



MINIGRID® GR100 yokes are required to mount the MiniGrid™ modules into prior to assembling the frontplate. See opposite page for yoke options.

2 Tier Unfurnished Plates c/w Gaskets - MiniGrid™

512 2 Tier MiniGrid™ Unfurnished Plate - 12 Apertures

3 Tier Unfurnished Plates c/w Gaskets - MiniGrid™

518 3 Tier MiniGrid™ Unfurnished Plate - 18 Apertures

Back Box Depth: 47mm Minimum
 Dimensions: 12 Module: 148mm x 148mm x 8mm 18 Module: 148mm x 227mm x 8mm

Understanding the code:
 DP - Plate Style BN - Plate Finish 536 - Product No.
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



MINIGRID® Galvanised steel back boxes supplied for flush mounting of the large MiniGrid™ plates. Mounting yoke facilitates pre-assembly of required modules. Fitted with twin earth terminals.

Yokes

GR100BK MiniGrid™ Module Yoke - 6 Apertures - Black
GR100PW MiniGrid™ Module Yoke - 6 Apertures - White

2 or 3 yokes are required based on the backbox selected.

Galvanised Steel Back Boxes

WA512 2 Tier 47mm Deep K.O. Box
WA518 3 Tier 47mm Deep K.O. Box

Dimensions: 512: 137mm x 137mm 518: 137mm x 197mm



Power Socket Outlets, Fused Connection Units and Control Switches

- 13A WALL SOCKET OUTLETS
- ROUND PIN WALL SOCKET OUTLETS
- FUSED CONNECTION UNITS
- FAN ISOLATION SWITCHES
- DP SWITCHES
- SOCKETS WITH USB OUTLETS
- LOCKABLE SWITCHES & SOCKETS




With the ever increasing demand for power supplies in all areas of the home, comes the problem of selecting and fitting outlets which blend harmoniously with the décor of the room in which they are to be fitted.

The seven different Deco Plus® plate finishes offer a solution for almost every possible design need and will enhance the décor of any area, whether in a kitchen, bedroom, lounge or study etc.





038



039



571U



535



836



580



570

Round Pin Socket Outlets

- 038** 5A Round Pin Socket
- 039** 2A Round Pin Socket

Ingot Switched Socket Outlets With Outboard Rockers

- 836** 13A Ingot 2 Gang DP Switched Socket With Outboard Rockers (Twin Earth)
- 1836** 2 Gang 13A DP 3 Pin Safety Shutter Outboard Switched Socket Outlet - Twin Earth

Ingot Switched Socket Outlets

- 535** 13A Ingot 1 Gang DP Switched Socket
- 536** 13A Ingot 2 Gang DP Switched Socket
- 1535** 1 Gang 13A DP 3 Pin Safety Shutter Switched Socket Outlet
- 1536** 2 Gang 13A DP 3 Pin Safety Shutter Switched Socket Outlet - Twin Earth

Standards: BS 1363 038,039: BS 546

Back Box Depth: 25mm Minimum **Cable Size:** 2A: 2 x 2.5mm² / 3 x 1.5mm² 5A: 2 x 2.5mm² / 3 x 1.5mm²
13A: 4 x 2.5mm² / 2 x 4mm² **Dimensions:** 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code:

DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts.
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

Ingot Switched Sockets With USB Outlet

- 571U** 13A Ingot 1 Gang Switched Socket With 2.1A USB Outlet (Twin Earth)
- 570** 13A Ingot 2 Gang Switched Socket With 2.1A USB Outlet (Twin Earth)

Ingot Switched Sockets With Twin USB Outlets

- 580** 13A Ingot 2 Gang Switched Socket With Twin 2.1A USB Outlets (4.2A) (Twin Earth)

Standards: BS1363-2, BS EN 62368-1, BS EN 62680-1-1

Back Box Depth: 25mm Minimum **Cable Size:** 4 x 2.5mm² / 2 x 4mm²
Dimensions: 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code:

DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts.
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



Deco Plus® dual voltage shaver outlets incorporate a double wound isolating transformer rated 20Va at 230V or 115V and meets BS EN 61558-2-5: 2010, making it safe for use in bathrooms.
Shaver outlet is not continuously rated and therefore not suitable for use as a permanent charging outlet.

20A DP Sink/Bath Switch

024 20A DP Sink/Bath Switch With Neon

Dual Voltage Shaver Socket

100 115/230V Dual Voltage Shaver Socket

Blank Plates

- 060** 1 Gang Blank Plate
- 061** 2 Gang Blank Plate

Standards: 024: BS EN 60669 100: BS EN 61558
Back Box Depth: 024: 25mm min 100: 47mm min. **Cable Size:** 024: 3 x 2.5mm² 100: 2 x 1.5mm² / 1 x 2.5mm²
Dimensions: 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code:
DP - Plate Style **BN** - Plate Finish **536** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



Ingot Fused Connection Units With Optional Flex Outlet

- 550** 13A Ingot Fused Connection Unit
- 551** 13A Ingot DP Switched Fused Connection Unit
- 552** 13A Ingot DP Switched Fused Connection Unit With Neon
- 553** 13A Ingot Fused Connection Unit With Neon

Ingot Fused Connection Units Without Flex Outlet

- 750** 13A Ingot Fused Connection Unit
- 751** 13A Ingot DP Switched Fused Connection Unit
- 752** 13A Ingot DP Switched Fused Connection Unit With Neon
- 753** 13A Ingot Fused Connection Unit With Neon

Standards: BS 1363 and BS 1362 (fuse)
Back Box Depth: 25mm Minimum **Cable Size:** 3 x 2.5mm² or 2 x 4mm²
Dimensions: 1 Gang: 88mm x 88mm x 8mm

Understanding the code:
DP - Plate Style **BN** - Plate Finish **536** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



520



522



523



722



723

3 Pole and 20A DP Switches are non-modular

Ingot Fan Isolation Switch

520 10A Ingot 3 Pole Fan Isolation Plate Switch

Ingot 20A Control Switches With Optional Flex Outlet

522 20A Ingot DP Switch
523 20A Ingot DP Switch With Neon

Ingot 20A Control Switches Without Flex Outlet

722 20A Ingot DP Switch
723 20A Ingot DP Switch With Neon

Standards: BS EN 60669 **Back Box Depth:** 25mm Minimum **Cable Size:** 20A DP: 4 x 2.5mm² 10A 3P: 1 x 2.5mm² / 2 x 1.5mm²
Dimensions: 1 Gang: 88mm x 88mm x 8mm

Understanding the code:
DP - Plate Style **BN** - Plate Finish **536** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



500



502



503



501



504



505

Ingot 45A Switches And Socket Outlets

500 45A Ingot 1 Gang DP Switch
501 45A Ingot 1 Gang DP Switch With Neon
502 45A Ingot 2 Gang DP Switch
503 45A Ingot 2 Gang DP Switch With Neon
504 45A Ingot 2 Gang DP Switch With 13A DP Switched Socket
505 45A Ingot 2 Gang DP Switch With 13A DP Switched Socket & Neons

Standards: BS EN 60669, BS 4177 **Back Box Depth:** 35mm Minimum **Cable Size:** 45A: 1 x 16mm²
Dimensions: 1 Gang: 88mm x 88mm x 8mm 2 Gang: 148mm x 88mm x 8mm

Understanding the code:
DP - Plate Style **BN** - Plate Finish **536** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.
 AB Antique Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



660



655

Lockable Sockets

655 13A Ingot 1 Gang DP Key Lockable Socket With Neon

Lockable Switches

660 20A Double Pole Key Lockable Switch

Standards: BS 1363-2, BS EN 60669-1
 Back Box Depth: 35mm Minimum Cable Size: 3 x 2.5mm², 2 x 4mm²
 Dimensions: 1 Gang: 88mm x 88mm x 8mm 2 Gang: 146mm x 88mm x 8mm

Understanding the code:
 DP - Plate Style BN - Plate Finish 536 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts.
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

Television, Telephone and Data Sockets

- RJ11 OUTLET
- UK TELEPHONE OUTLETS
- SATELLITE SOCKET OUTLETS
- COAXIAL SOCKETS

The following pages contain details of Deco Plus® products designed to deal with handling data and media transfer through telephone, computer, television or radio.

As well as the finished products please also find details of unfurnished mounting plates designed to accept custom selections of New Media™ modules from our dedicated modules brochure.





115



120 / 125



121 / 126

Twin outlets are 2 separate sockets and are not internally linked together.

RJ11 Telephone Outlet

115 Single RJ11 (Irish/US) Outlet

Telephone Outlets

- 120** Single Telephone Outlet - Master
- 121** Twin Telephone Outlet - Master
- 125** Single Telephone Outlet - Secondary
- 126** Twin Telephone Outlet - Secondary

Back Box Depth: 16mm Minimum 115: 35mm Minimum **Termination Type:** IDC
Dimensions: 1 Gang: 88mm x 88mm x 8mm

Understanding the code:
DP - Plate Style **BN** - Plate Finish **536** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



158 / 065



159 / 066



156



157 / 170

Isolated outlets will filter out any interference.
 If a 2 way signal is required, i.e. for use with satellite hard wire extensions, then a non-isolated outlet is required.

Non-Isolated Coaxial Outlets (Unshielded)

- 065** Single Coaxial Outlet
- 066** Twin Coaxial Outlet

Satellite Outlets (Unshielded)

- 156** Non-Isolated Single Satellite Outlet
- 157** Isolated Satellite & Isolated Coaxial Outlet
- 170** Non-Isolated Satellite & Non-Isolated Coaxial Outlet

Isolated Coaxial Outlets (Unshielded)

- 158** Single Isolated Coaxial Outlet
- 159** Twin Isolated Coaxial Outlet

Back Box Depth: 16mm Minimum
Dimensions: 1 Gang: 88mm x 88mm x 8mm

Understanding the code:
DP - Plate Style **BN** - Plate Finish **536** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

Solutions for media cabling

Selecting from a range of module inserts covering all manner of media transfer, installers will now be able to configure their own arrangement of television, radio or satellite reception, plus speaker, telephone and data outlets. All modules can be inserted into single or double wall plates and fitted onto standard switch and socket boxes.



The furnished plate shown here contains a selection of both single and twin width New Media™ modules.



The New Media™ range provides the installer with ultimate flexibility, allowing you to mix and match the connections you have on your wall plate. All modules are available in white or black finishes to complement any installation.



310



311



312

new.
media™

All plates supplied with black and white gaskets where applicable. Above are some examples of New Media™ modules we offer, please see our dedicated New Media™ section for more information on the range of modules available.

Unfurnished Plates - New Media™

- 310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- 311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- 312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

Back Box Depth: 310, 311, 312: dependant on module used.
Dimensions: 1 Gang: 88mm x 88mm x 8mm 2 Gang: 148mm x 88mm x 8mm

Understanding the code:
DP - Plate Style BN - Plate Finish 536 - Product No.
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



WA375



WA370



MCP086



MCP085



WA671



WA672

For more Back Boxes see page m22

Surface Mounting Boxes - Metal Clad Grey

MCP085 1 Gang 40mm Deep Mounting Box

MCP086 2 Gang 40mm Deep Mounting Box

Galvanised Boxes

WA370 1 + 1 35mm Deep Dual Accessory Box (Deco® Range Only)

WA375 1 + 2 35mm Deep Dual Accessory Box (Deco® Range Only)

WA671 1 Gang 25mm Deep Architrave Box With 60.3mm Hole Centres

WA672 2 Gang 25mm Deep Architrave Box With 120.6mm Hole Centres