



# CLASSIC | MODERN


### MAINTENANCE FREE RESIN OUTDOOR LIGHTING













ANTI-SHOCK BODY



FULLY RECYCLABLE



UV RAY TREATED




DOUBLE INSULATION














## **CLASSIC & MODERN** RANGE





































































































































































































































































## **CEFA** RANGE








CEFA LANTERN























































EUROPEAN















## **NOEMI LED** RANGE

















































fumagalli

































**SILOE LED** RANGE


## **TOBIA LED RANGE**







4000K

COLOUR TEMP








































## **SIMON LED RANGE**
















































**SIMON LED** RANGE










POWER	50W
LUMENS	5000Lm
EFFICIENCY	100Lm/W
CURRENT	210mA
POWER FACTOR	>0.9
BEAM ANGLE	200°
COLOUR TEMP	4000K
















































OPAL





















































































































= 100W

INCANDESCENT EQUIVALENT












**DIMENSIONS** 













COLOUR TEMP INCANDESCENT EQUIVALENT




































**DIMENSIONS** 



































**AMELIA** RANGE **LED** BOLLARDS **AMELIA** RANGE





**DIMENSIONS** 



LAMP	E27 LED
POWER	12W
LUMINOUS FLUX	1500Lm
VOLTAGE RANGE	100-240V 50/60Hz
COLOUR TEMP	4000K
INCANDESCENT EQUIVALENT	= 100W

AMELIA SPIKE

E27 LED

1500Lm

100-240V


50/60Hz

4000K


= 100W

12w
















**DIMENSIONS** 





RANGE

COLOUR

INCANDESCENT

EQUIVALENT

TEMP



50/60Hz

4000K

= 75W








































<del>-</del> 155 -

4000K

= 50W

**GU10 LED** 

3.5w

400Lm

100-240V

50/60Hz

4000K

= 50W

MAINTENANCE

ANTI-RUST

TEMP

HALOGEN

**EQUIVALENT** 

**CARLO SPIKE** 

GU10 LED

LAMP

POWER

FLUX

LUMINOUS

VOLTAGE

RANGE

COLOUR

HALOGEN

ANTI-SHOCK

**EQUIVALENT** 

TEMP



CLASS II

DOUBLE

LED

ENERGY

UV RAY

PROTECTION

EUROPEAN

FULLY




RANGE

COLOUR

HALOGEN


**EQUIVALENT** 

TEMP













VOLTAGE

RANGE

COLOUR

HALOGEN

EQUIVALENT

TEMP




















MADE IN ITALY







LAMP	GU10 LED
POWER	3.5W
LUMINOUS FLUX	400Lm
VOLTAGE RANGE	100-240V 50/60Hz
COLOUR TEMP	4000K
HALOGEN EQUIVALENT	=50W












LAMP	GU10 LED
POWER	3.5W
LUMINOUS FLUX	400Lm
VOLTAGE RANGE	100-240V 50/60Hz
COLOUR TEMP	4000K
HALOGEN EQUIVALENT	=50W







## FRANCA 90 2L WALL








LAMP	GU10 LED
POWER	7W (2 x 3.5W)
LUMINOUS FLUX	800Lm
VOLTAGE RANGE	100-240V 50/60Hz
COLOUR TEMP	4000K
HALOGEN EQUIVALENT	=100W

### **DIMENSIONS**





















































































HALOGEN EQUIVALENT





= 35W




































**DIMENSIONS** 





HALOGEN EQUIVALENT



= 100W



















MARTA 160 UP/DOWN













AVAILABLE IN STANDARD E27 OR ENERGY SAVING LED

**GX53 LED** 

























CLASS II

DOUBLE














LAMP	GU10 LED
POWER	4.5W
LUMINOUS FLUX	300Lm
VOLTAGE RANGE	100-240V 50/60Hz
COLOUR TEMP	4000K
HALOGEN EQUIVALENT	= 35W








































**TOMMY** RANGE





LAMP	GX53 LED
POWER	2 x 10W
LUMINOUS FLUX	2400Lm
VOLTAGE	100-240V 50/60Hz
COLOUR TEMP	4000K








AVAILABLE IN E27 OR LED

GX53 LED LAMPS INCLUDED IN 20W LED MODELS



GX53 LED
4 x 10W
4800Lm
100-240V 50/60Hz
4000K





## PINELA/MINIPINELA 1L

BLACK








LAMP	GX53 LED
POWER	2 x 10W
LUMINOUS FLUX	2400Lm
VOLTAGE	100-240V 50/60Hz
COLOUR TEMP	4000K





























**ALDO** RANGE **LED IN-GROUND CECI 90 RANGE** 























































DRIVE-OVER 5000 Kg

DRIVE-OVER 5000 Kg


**CECI 120** RANGE **LED IN-GROUND CECI 160 RANGE** 













MAINTENANCE



CLASS II

DOUBLE

LED

ENERGY

UV RAY


MADE IN ITALY



PROTECTION

EUROPEAN


FULLY




ANTI-SHOCK

ANTI-RUST





































## **LED BRICKLIGHTS**


# **NINA 150/190/270** RANGE
















CLASS II


DOUBLE

LED

ENERGY

UV RAY


MADE IN ITALY



EUROPEAN

FULLY

PROTECTION




ANTI-SHOCK











NINA 190 LED



**DIMENSIONS** 


























**LETI 100** RANGE **LED BRICKLIGHTS LETI 100** RANGE









= 40W


INCANDESCENT EQUIVALENT













CLASS II


DOUBLE







MAINTENANCE ANTI-RUST







A+ RATING


GX53 LED


100-240V 50/60Hz

3W

4000K

= 40W






ANTI-SHOCK

FULLY

EUROPEAN

PROTECTION








## LED BRICKLIGHTS

## **EXTRALETI 300** RANGE







LETI 300 GRILLE




CLASS II

DOUBLE

LED


ENERGY

UV RAY



PROTECTION EUROPEAN

**DIMENSIONS** 



ANTI-SHOCK

FULLY

ANTI-RUST


MAINTENANCE



COLOUR

**EQUIVALENT** 

TEMP



**DIMENSIONS** 

**DIMENSIONS** 






4000K

= 60W





























MADE IN ITALY






fumagalli









**DIMENSIONS** 





COLOUR TEMP

INCANDESCENT

**EQUIVALENT** 



4000K

= 100W















**BERTA/BERTINA** 


LED BULKHEAD







BODY	SHOCKPROOF RESIN
DIFFUSER	OPAL
PROTECTION	IP66










BODY	SHOCKPROOF RESIN
DIFFUSER	OPAL
PROTECTION	IP66












BODY	SHOCKPROOF RESIN
DIFFUSER	OPAL
PROTECTION	IP66




































IP66


PROTECTION















































BRACKET WITH





BODY	SHOCKPROOF RESIN
DIFFUSER	OPAL
PROTECTION	IP66























**DIMENSIONS** 















BODY	SHOCKPROOF RESIN
DIFFUSER	OPAL
PROTECTION	IP66







**DIMENSIONS** MADDI EYELID







E27 LAMP BASE Suitable for all lamp types including LED

BODY	SHOCKPROOF RESIN
DIFFUSER	OPAL
PROTECTION	IP66













REMI MADDI

















# **GABRI/MINIGABRI** RANGE





























































### BEPPE 400 LED







HIGH-POWER E27 LED
50W
5300Lm
L00-240V 50/60Hz
1000K
= 115W

### DIMENSIONS





## GINO 400 HP LED





**A**+



LAMP INCLUDED RATING				
LAMP	HIGH-POWER E27 LED			
POWER	50W			
LUMINOUS FLUX	5300Lm			
VOLTAGE RANGE	100-240V 50/60Hz			
COLOUR TEMP	4000K			
HQI/SON EQUIVALENT	= 115W			

### **DIMENSIONS**


























**FUMAGALLI POLES CLASSIC** POLES **MODERN** POLES






DOOR INCLUDED ON ALL

2 5M+

MODELS









































**LED LAMP** RANGE **TUV APPROVED LED LAMP RANGE** 






POWER	1.7W			
LUMENS	170Lm			
EFFICIENCY	100Lm/W			
CURRENT	17mA			
BEAM ANGLE	110°			
COLOUR TEMP	3000K 4000K			









POWER	3W		7W		10W	
LUMENS	350Lm		800Lm		1200Lm	
EFFICIENCY	116Lm/W		114Lm/W		120Lm/W	
CURRENT	30mA		34mA		48mA	
BEAM ANGLE	120°		120°		120°	
COLOUR TEMP	3000K	4000K	3000K	4000K	3000K	4000K







POWER	15W		30W		50W	
LUMENS	1500Lm		3500Lm		5300Lm	
EFFICIENCY	100Lm/W		116Lm/W		106Lm/W	
CURRENT	130mA		135mA		210mA	
POWER FACTOR	>0.5		>0.9		>0.9	
BEAM ANGLE	200°		200°		200°	
COLOUR TEMP	3000K	4000K	3000K	4000K	3000K	4000K



























POWER	4W		8.5W		11W	
LUMENS	400Lm		900Lm		1200Lm	
EFFICIENCY	100Lm/W		106Lm/W		110Lm/W	
CURRENT	75mA		168mA		170mA	
BEAM ANGLE	360°		360°		360°	
COLOUR TEMP	3000K	4000K	3000K	4000K	3000K	4000K







POWER	6W		12W		
LUMENS	800Lm		1500Lm		
EFFICIENCY	133Lm/W	1	125Lm/W		
CURRENT	60mA		100mA		
POWER FACTOR	>0.7		>0.7		
BEAM ANGLE	360°		360°		
COLOUR TEMP	2700K 4000K		2700K	4000K	



















## **ABOUT ECI LIGHTING**



ECI Lighting was originally established as the Electrical Company of Ireland by the Hanratty family in 1960.

In 1968 ECI Lighting opened a state of the art three storey dedicated architectural lighting showroom in Marlborough Street in the heart of Dublin city centre and rapidly became renowned for their knowledge and expertise in the lighting industry.

By the late 1980s the company had become a major distributor of lighting products to the wholesale industry, with sole distributorship of major brands such as Sylvania, Fumagalli, Megaman, Prelux LED and Venture in Ireland.

Today ECI Lighting operates from premises in Dublin, Belfast and Cork while also supplying to a rapidly growing network of wholesale groups in the UK.

#### Dublin

34/35 North Park, North Road, Finglas, Dublin 11, Ireland. T: (01) 860 1860 E: info@ecilighting.ie

#### Cork

Unit 613, Harbour Point Business Pk, Little Island, Co. Cork. T: (021) 488 3434 E: cork@ecilighting.ie

#### **Belfast**

3 Duncrue Industrial Park, Duncrue Road, Belfast BT3 9BP. T: (028) 9075 6436 E: belfast@ecilighting.co.uk

**UK Sales** T: 0161 601 7002 | E: uksales@ecilighting.co.uk



## MAINTENANCE FREE RESIN OUTDOOR LIGHTING



### YOUR LOCAL FUMAGALLI SUPPLIER



DISTRIBUTED BY ECI LIGHTING

